

DUST SOLUTIONS



DE



www.DEWALT.com.au

PROTECT

DEWALT.

MADIA

DEWAL

CONTENTS

Dust Extrac	tors ·····	3, 4, 6, 7, 8
Vacuums ···		5
Attachment	s	
Power Tool	Accessories ······	
Bags & Line	er	
Airlock Con	nectors & Hoses ·····	
Adaptor Pla	ites	

DUS MANAGEMENT

ULTIMATE SAFETY without compromising performance

DEWALT Perform & Protect tools are designed to defend against dust inhalation, loss of torque control and lessen tool vibration without sacrificing the performance you demand.



INDUSTRY-LEADING DUST EXTRACTION SOLUTIONS

When the Perform & Protect shield is awarded for dust, it is guaranteed that the potential of inhaling dust is dramatically reduced to give a cleaner and safer working environment.



AT LEAST 20% LOWER VIBRATION*

When the Perform & Protect shield is awarded for vibration, it is guaranteed that tri-axial vibration levels have been reduced, increasing usage time without reducing performance.

* Vibration comparison between models D25501K and D25601K.



UNIQUE & INNOVATIVE TORQUE CONTROL FEATURES

When the Perform & Protect shield is awarded for control, it is guaranteed that additional innovative torque control safety features have been incorporated into the design of the tool.

38L HIGH PERFORMANCE H-CLASS DUST EXTRACTOR

DWV905H-XE

- · Essential jobsite dust extractor for professional carpenters, fabricators, plumbers and electricians
- H-Class certified for 99.995% filtration efficiency, it helps keep workspaces free of harmful particles generated on the jobsite including dust generated from wood, plaster, cement and concrete
- Improved brushed motor provides +10.3% airflow and +19.0% pressure vs. DWV902 model; guarantees market leading performance
- · Wireless Tool Control (WTC) ready, offering end users complete auto-start feature with AC, DC and competition products via remote key fob (included)
- · Dual cannister filters with auto filter clean mechanism maintains unit performance during tough construction applications

Fleece Dust Bag, Plastic Tank Liner, Remote Key Fob

NCLUDES

· Variable speed control allows user to optimise performance by tailoring suction to specific application or tool requirements

- · Large 38L tank capacity reduces emptying times and unnecessary downtime
- · Heavy duty 3mm polypropylene head and tank are impact and drop resistant for use in tough applications
- · Telescopic handle and large rear wheels allow easy transportation over jobsite
- · Audible alarm alerts user if a drop in performance occurs
- · Optional storage rack system interlocks with both TSTAK® and TOUGHSYSTEM® storage solutions to provide storage options, mobility and durability
- · Compatible with DEWALT's dust management AIRLOCK system providing a safer, cleaner, and more efficient dust collection solution

DEWALT

REMOTE KEY FOB

DEWALT

REMOTE KEY FOB





38L HIGH PERFORMANCE M-CLASS DUST EXTRACTOR

DWV905M-XE

- · Essential jobsite dust extractor for professional carpenters, fabricators, plumbers and electricians
- · M-Class certified for 99.9% filtration efficiency, it helps keep workspaces free of harmful particles generated on the jobsite including dust generated from wood, plaster, cement and concrete
- Improved brushed motor provides +10.3% airflow and +19.0% pressure vs. DWV902 model; guarantees market leading performance
- · Wireless Tool Control (WTC) ready, offering end users complete auto-start feature with AC, DC and competition products via remote key fob (included)
- · Dual cannister filters with auto filter clean mechanism maintains unit performance during tough construction applications
- · Variable speed control allows user to optimise performance by tailoring suction to specific application or tool requirements

2 x M-Class Compliant Filters, 4.6m x 32mm Antistatic Hose, Connector Kit, Fleece Dust Bag, Remote Key Fob

- · Large 38L tank capacity reduces emptying times and unnecessary downtime
- · Heavy duty 3mm polypropylene head and tank are impact and drop resistant for use in tough applications
- · Telescopic handle and large rear wheels allow easy transportation over jobsite
- · Audible alarm alerts user if a drop in performance occurs
- Optional storage rack system interlocks with both TSTAK® and TOUGHSYSTEM® storage solutions to provide storage options, mobility and durability
- · Compatible with DEWALT's dust management AIRLOCK system providing a safer, cleaner, and more efficient dust collection solution





54V XR FLEXVOLT M-CLASS DUST EXTRACTOR

DCV586MN-XJ BARE UNIT DCV586MT2-XJ 6AH KIT

Μ

::

TOOL CONTROL

AIR



• M-Class certified for 99.9% filtration efficiency, it helps keep workspaces free of

- harmful particles generated on the jobsite 2000W brushless motor provides powerful, market-leading overload protection
- for increased performance
- · Wet and dry pick-up for maximum clean-up flexibility
- · Audible alarm alerts user if a drop in performance occurs
- Wireless Tool Control (WTC) ready, allowing the extractor to be wirelessly paired with another WTC enabled device for automatic activation and shut down
- · Automatic dual filters are cleaned every 30 seconds, reducing filter clogging to deliver constant air flow
- · Heavy duty 4mm reinforced polypropylene plastic provides high impact and drop resistance for increased durability
- · Dust tight and water resistant for maximum protection against severe conditions
- · Heavy duty metal clips for quick and easy access to tank and filters
- · TSTAK® compatible for ease of use and enhanced mobility
- · Compatible with DEWALT's dust management AIRLOCK system providing a safer, cleaner, and more efficient dust collection solution

DCV586MN-XJ

2.5m x 32mm Extraction Hose, 35mm AIRLOCK Adaptor, Fleece Dust Bag, Remote Key Fob DCV586MT2-XJ KIT also includes: DCB546-XE 18V/54V XR FLEXVOLT 6AH Battery Pack, DCB118-XE 18V XR Fast Charger



2: .

DEWALT

BRUSHLESS



18V XR AC/DC L-CLASS WET & DRY VACUUM

DCV584L-XE

- L-Class certified, ensuring user protection when in use
- High efficiency and washable HEPA filter traps 99.97% of dust as fine as 0.3 microns
- Operates on 18V XR and 54V XR FLEXVOLT battery packs; can also run on a 240V mains supply
- Wet and dry pick-up without needing to change the filter for maximum clean-up flexibility
- On-board hose, cord and accessory storage provides convenient transport and storage
- Compatible with DEWALT dust management AIRLOCK system providing a safer, cleaner, and more
 efficient dust collection solution

AIR



Wide Nozzle, 2m Hose, Crevice Tool, Dust Extraction Adaptor

Batteries not included

18V XR L-CLASS STICK VAC



DCV501LN-XJ

- L-Class certified, ensuring user protection when in use
- High efficiency and washable HEPA filter traps 99.97% of dust as fine as 0.3 microns
- 18V motor for optimal power, efficiency and durability, delivering 1,260 L/min of airflow
- Cyclonic action ensures debris is directed away from the filter ensuring maximum suction performance is maintained over longer periods of use
- \bullet 0.75L tank capacity allows for maximum debris pick-up without the need to regularly empty the tank





18V XR UNIVERSAL DUST EXTRACTOR

DWH161N-XJ BARE UNIT DWH161D1-XE 2AH KIT

- · A portable, independent, self-contained solution for removing concrete, wood and other dust sources onsite without the need for cords
- · Suitable for use with all SDS-Plus rotary hammers (and many other tools)
- · Easy to use manual filter cleaning mechanism provides excellent worker protection
- · Wireless Tool Control (WTC) allows the extractor to be wirelessly paired with another WTC enabled device for automatic activation and shut down
- · Extremely tough and versatile; performs in the most demanding applications
- · Compact and lightweight design provides comfort and balance

1m Flexible Anti-Static Hose, Stepped Hose Adaptor, Padded Adjustable Shoulder Strap, Crevice Tool, Belt Hook DWH161D1-XE 2AH KIT also includes: DCB183-XE 18V XR 2.0Ah Battery Pack, XR Charger, Heavy Duty Carry Case



DUST EXTRACTOR FOR DCH273/274

D25303DH-XJ

DWH161N-

DEWALT

amm

- · Dust free drilling solution for holes up to 16mm in diameter and up to 125mm deep
- · Powerful independent motor provides high performance drilling and excellent suction
- · Maximum extraction maintained at all times regardless of hammer speed
- . The extractor continues to operate for two seconds after the hammer trigger is released to ensure any debris in the telescope or hose is completely removed after drill is switched off
- · Features a durable clear high capacity dust box and washable HEPA filter capable of achieving 99.5% efficiency with dust particles as small as 0.3 microns
- · Easy to use manual filter cleaning mechanism provides excellent worker protection
- Extremely tough and versatile; performs in the most demanding applications
- · Compact and lightweight design provides comfort and balance
- · Quick, one-handed release from hammer; tool-free for easy attachment and removal
- · Dust collection box can be attached to DWH079D Dust Evacuator to remove dust via DEWALT extraction systems
- Compatible with DCH273 and DCH274 (Type 2 only) 18V XR SDS-Plus Hammers

Side Handle, Dust Extraction Head/Dust Brush



PICTURED WITH DCH273 (SOLD SEPARATELY)



SDS PLUS DUST EXTRACTOR

D25304DH-XJ

- Dust free drilling solution for holes up to 26mm in diameter and up to 180mm deep
- Operates by a mechanical drive that activates the extractor; no motor reduces weight
 Features a durable clear high capacity dust box and washable HEPA filter capable of
- achieving 99.5% efficiency with dust particles as small as 0.3 microns • Easy to use manual filter cleaning mechanism provides excellent worker protection
- Extremely tough and versatile; performs in the most demanding applications
- Compact and lightweight design provides comfort and balance
- Quick, one-handed release from hammer; tool-free for easy attachment and removal
- Quick, one-manded release from mainliner, tool-free for easy attachment and remo
- Compatible with DCH333 54V XR FLEXVOLT SDS Plus Hammer Drill

INCLUDES

Corded Tool Adaptor, Cordless Dust Extraction Head/Dust Brush



BRUSHLESS D-HANDLE DUST EXTRACTOR

- Dust free drilling solution for holes up to 38mm in diameter and up to 180mm deep
- Powerful independent motor provides high performance drilling and excellent suction
- Maximum extraction maintained at all times regardless of hammer speed
- The extractor continues to operate for two seconds after the hammer trigger is released to ensure any debris in the telescope or hose is completely removed after drill is switched off
- Features a durable clear high capacity dust box and washable HEPA filter capable of achieving 99.5% efficiency with dust particles as small as 0.3 microns
- Dust collection box can be attached to DWH079D Dust Evacuator to remove dust via DEWALT extraction systems
- Compatible with DCH263 18V XR SDS-Plus Rotary Hammer

INCLUDE

3 x Brush Rings, Interchangeable Drilling Heads (12, 26, 38mm diameter)



PICTURED WITH DCH263 (SOLD SEPARATELY)

DUST BOX EVACUATOR

DWH079D-XJ

- Connects directly to a dust extractor to remove dust from the on-board dust collection box without exposing the user to harmful dust and debris during drilling or chipping applications
- · Eliminates airborne dust when emptying on-board dust box
- Compatible with the SDS-Plus Dust Boxes in the D25303DH and D25304DH integrated extractor units
- Compatible with DEWALT's dust management AIRLOCK system providing a safer, cleaner, and more efficient dust collection solution



DRILLING DUST EXTRACTION SYSTEM & HOLE CLEANING

DWH050-XJ

- Ideal for dust free drilling up to 52mm in diameter and unlimited depth
- · Includes hole cleaning nozzles to expose the full drilled depth and to ensure maximum adhesion of anchor fixings
- · Flexible hose allows for 360 degree vertical and horizontal orientation
- Durable rubber seal allows for adhesion to most masonry surfaces
- · Unit adheres to flat surface through powerful suction
- · Interchangeable drilling heads for optimum dust removal
- · Compatible with all professional dust extractors
- · Compatible with DEWALT's dust management AIRLOCK system providing a safer, cleaner, and more efficient dust collection solution





CHISELLING DUST EXTRACTION SYSTEM

DWH051-XJ

- · Includes 3 x different length flexible nozzles for optimum dust extraction
- · Accepts any DEWALT pointed, flat chisels and bushing tools and can be connected to any professional dust extractor
- · Impact resistant and flexible body allows for maximum durability and long life
- Compatible with all DEWALT SDS MAX / 19mm HEX combination
- hammers and breakers
- · Quick release and tool free connection
- · Compatible with DEWALT's dust management AIRLOCK system providing a safer, cleaner, and more efficient dust collection solution

NCLUDES

Chipping System, 3 x Rubber Boots, 3 x Tool Holder Adaptors, Soft Sided Carry Case





CHISELLING DUST EXTRACTION SYSTEM

DWH052-XJ

- · Accepts any DEWALT pointed, flat chisels and bushing tools up to 32mm wide and can be connected to any professional dust extractor
- · Impact resistant dust nozzle and flexible hose allows for maximum durability and long life
- · Compatible with all DEWALT demolition hammers and breakers
- · Fully adjustable, quick release and tool free connection
- Compatible with DEWALT's dust management AIRLOCK system providing a safer, cleaner, and more efficient dust collection solution





DEWALT



SDS PLUS DUST COLLECTOR SET DWH201D-XJ

- · Ideal for dust free drilling up to 25mm in diameter
- · Can be used with a dust extractor or as a standalone dust collector
- · Quick-fit system for easy tool free assembly and release
- 1 metre heavy duty rubber hose for maximum reach
- · Side handle adaptor for increased compatibility
- · Compact and lightweight design minimises user fatigue
- · For use with DEWALT corded and cordless SDS-Plus Hammer Drills
- · Compatible with DEWALT's dust management AIRLOCK system providing a safer, cleaner, and more efficient dust collection solution

Side Handle with Dust Extraction Adaptation, Rubber Hose, 160mm (Short) and 250mm (Long) Accordion Collectors







115-125MM SURFACE GRINDING SHROUD

DWE46150-XJ

- Allows you to use your DEWALT Angle Grinder for concrete surfacing applications
- $\bullet\,$ Easily attaches directly to 115 and 125mm DEWALT Grinders with a keyless clamp
- Compatible with DEWALT grinders that have a guard holder of 44mm, a max. wheel diameter of 125mm, and a max. rate speed of 11500 RPM
- Optimised dust collection; captures virtually all dust during surface grinding
- Sliding section provides better performance close to edges and corners
 AIRLOCK compatible dust extraction port; rotatable adaptor ensures dust hose does not obstruct whilst cutting

DIAMOND GRINDING CUPS

ITEM NO. Single Packs	DIAMETER (MM)	SHANK	SEGMENT HEIGHT (MM)	CUP			
DIAMOND GRINDI	DIAMOND GRINDING CUPS						
DT3795-QZ	125	M14	5	Single			
DT3796-QZ	125	M14	6	Double			
DT3797-QZ	125	M14	7	Turbo			

M14 thread is optimised for use with DEWALT DWE46150-XJ Surface Grinding Shroud



125MM ANGLE GRINDER CONCRETE CUTTING GUARD

DWE46225-XJ

- High performance cutting guard for professional dust-free concrete and stone cutting applications on the toughest jobsites
- Available in 125mm to fit most DEWALT angle grinders
- Allows user to plunge cut into all materials accurately with adjustable built-in depth control
- Blade window allows user to observe workpiece and blade during cutting
- Stamped steel base provides excellent durability and aids rigidity in use
- AIRLOCK compatible dust extraction port; rotatable adaptor ensures dust hose does not obstruct whilst cutting

230MM ANGLE GRINDER CONCRETE CUTTING GUARD

- High performance cutting guard for professional dust-free concrete and stone cutting applications on the toughest jobsites
- Available in 230mm to fit most DEWALT angle grinders
- Allows user to plunge cut into all materials accurately with adjustable built-in depth control
- Blade window allows user to observe workpiece and blade during cutting
- Stamped steel base provides excellent durability and aids rigidity in use
- AIRLOCK compatible dust extraction port; rotatable adaptor ensures dust hose does not
 obstruct whilst cutting

EXTREME® SDS PLUS & SDS MAX DRILL BITS

- Compatible with SDS Plus and SDS MAX drill bits
- Durable carbide tip for precise positioning and accurate starting of SDS Plus and SDS MAX drill bits
- Faster drilling in concrete; resistance is reduced as drilling dust is routed internally
- · Vacuum-assisted hollow shaft means less dust, reduced resistance, faster drilling, and less hole cleaning
- AIRLOCK adaptor connects directly to DEWALT's AIRLOCK system to form a secure connection between drill bit and dust extractor

ITEM NO. Single Packs	DIAMETER (MM)	WORKING LENGTH (MM)	TOTAL LENGTH (MM)	NO. OF CUTTERS		
EXTREME® SDS PL	US HOLLOW DRILL	BITS				AIR
DT60340-QZ	12	200	320	2	SDS-	LOCK.
DT60341-QZ	14	250	370	2	3	
DT60342-QZ	16	250	370	2	1	
DT60343-QZ	18	250	370	2	PGM	
EXTREME® SDS M	AX HOLLOW DRILL	BITS				Les X
DT60230-QZ	16	400	600	4		
DT60231-QZ	18	400	600	4		12 1
DT60232-QZ	20	400	600	4	SDS	
DT60233-QZ	24	400	600	4		
DT60234-QZ	28	400	600	4	PGM	
DT60235-QZ	30	400	600	4		



MADE IN GERMANY

BAGS & LINER

Improves suction power efficiency by keeping dust inside

Extends filter life by preventing debris reaching the filter

Allows dust-free disposal of extracted material to keep jobsites clean and minimise exposure to harmful dust particles



PAPER DUST BAG (5 PACK)

DWV9401-XJ

- 5 disposable paper filter bags for DWV901L, DWV902M, DWV905M and DWV905H dust extractors
- · For use with dry materials only



FLEECE DUST BAG (5 PACK) DWV9402-XJ

- 5 disposable fleece filter bags for DWV901L, DWV902M, DWV905M and DWV905H dust extractors
- Fleece is tear-resistant providing a high dust retention rate and allowing longer suction time compared to paper bags
- Suitable for both wet and dry materials



PLASTIC TANK LINER (5 PACK) DWV9400-XJ

- 5 disposable plastic filter bags for DWV901L, DWV902M, DWV905M and DWV905H dust extractors
- · Suitable for larger dry debris clean-up



PAPER DUST BAG (5 PACK) DCV9401-XJ

- 5 disposable paper filter bags for DCV586M dust extractor
- For use with dry materials only



FLEECE DUST BAG (5 PACK) DWV9402-XJ

- 5 disposable fleece filter bags for DCV586M dust extractor
- Fleece is tear-resistant providing a high dust retention rate
- and allowing longer suction time compared to paper bags • Suitable for both wet and dry materials

FILTERS



REPLACEMENT FILTER (2 PACK)

DWV9340-XJ

- Replacement filter for DWV900L, DWV902M (Type 2), DWV905M and DWV905H dust extractors
- M-Class certified for 99.9% filtration efficiency
- · Suitable for both wet and dry materials



REPLACEMENT H-CLASS FILTER (2 PACK)

DWV9345-XJ

- Replacement filter for DWV905H dust extractor
- H-Class certified for 99.995% filtration efficiency
- Not suitable for asbestos



REPLACEMENT HEPA FILTER (2 PACK)

DCV5011H-XJ

- Replacement HEPA filter for DCV501LN cordless stick vacuum
- HEPA filter eliminates 99.97% of all particles less than 0.3 microns in size
- · For use with dry materials only



REPLACEMENT HEPA FILTER DCV5801H-XJ

- DOVJOUTI-AJ
- Replacement HEPA filter for DCV582, DCV583 and DCV584 XR Vacuums
- HEPA filter eliminates 99.97% of all particles less than 0.3 microns in size
- Suitable for both wet and dry materials



REPLACEMENT M-CLASS FILTER (2 PACK) DCV5861-XJ

- Replacement filter for DCV586M dust extractor
- M-Class certified for 99.9% filtration efficiency
- Suitable for both wet and dry materials

AIRLOCK CONNECTORS & HOSES



AIRLOCK DUST CONNECTION SYSTEM MAIN CONNECTOR

DWV9000-XJ

- Universal adaptor is compatible with DEWALT and other dust extraction units
- Screws directly to 35mm hose
- Twist lock action enables user to quickly move hose from tool-to-tool while retaining a positive lock
- Swivels 360 degree to prevent hose becoming twisted during use



AIRLOCK DUST CONNECTION System 35MM Angle Adaptor

DWV9150-XJ

- Angle adaptor fits tools with 35mm ID port
- Angle allows user to position hose away from tool
- Can be used as a handle in conjunction with floor cleaning kit
- Swivels 360 degrees to prevent hose becoming twisted during use



4M DUST EXTRACTOR HOSE DWV9315-XJ

- 4m x 35mm hose with universal quick
- connector for D27901, DWV900L, DWV902M, DWV905M and DWV905H dust extractors
- Includes AIRLOCK connector for fast connections to power tools

FLOOR CLEANING KIT

DWV9350-XJ

- Floor cleaning kit for DWV901L, DWV902M and DCV586M dust extractors
- 3 piece aluminium extension tube
- · Metal tubes for added durability
- Includes AirLock adaptor for direct connection to vacuums

ADAPTOR PLATES

TSTAK® VAC ADAPTOR PLATE

- DWV9500-XJ
- Connect TSTAK^{\otimes} kit boxes to DWV900L, DWV901L and DWV902M dust extractors
- Conveniently transport both tools and dust extractor in a single trip on the jobsite
- Adaptor securely clips onto the DWV900L, DWV901L and DWV902M units
 Storage rack system screws onto the top of the dust extractor to allow for vertical
- stacking of storage boxesMade from strong, lightweight plastic for easy mobility and job site durability



AIRLOCK DUST CONNECTION SYSTEM TAPERED RUBBER ADAPTOR

DWV9110-XJ

- Attach to DWV9000 for quick and easy dust port connection
- Tapered rubber adaptor fits tools with 29, 30 and 35mm ID ports
- Swivels 360 degrees to prevent hose becoming twisted during use



AIRLOCK DUST CONNECTION SYSTEM CABLE CLIP

D279058CL-XJ

- Universal cable clip is compatible with DEWALT and other dust extraction units
 Easily clip powercable to extraction hose to
- Easily clip powercable to extraction hos prevent the two becoming tangled



4M ANTISTATIC DUST EXTRACTOR HOSE DWV9316-XJ

 4m x 35mm hose with universal quick connector for DCV586M, D27901, DWV901L, DWV902M, DWV905M and DWV905H dust extractors



AIRLOCK DUST CONNECTION SYSTEM STEPPED ADAPTOR

DWV9120-X

- Stepped adaptor fits 35 and 38mm ID ports to provide flexibility to AIRLOCK dust connection system
- Swivels 360 degrees to prevent hose becoming twisted during use



3PC AIRLOCK DUST CONNECTION SYSTEM CONSTRUCTION KIT

DWV9210-XJ

- 3 piece AIRLOCK construction kit includes Main Connector, Stepped Adaptor and 35mm Adaptor
- Twist lock action enables user to quickly move hose from tool-to-tool while retaining a positive lock
- Swivels 360 degree to prevent hose becoming twisted during use
- Includes DEWALT items DWV9000, DWV9120 and DWV9130



AIRLOCK Y SPLITTER HOSE KIT

Allows connection of dust extractor to two table saw ports



AIRLOCK DUST CONNECTION SYSTEM 35MM ADAPTOR DWV9130-XJ

DMA8130-

- Adaptor fits tools with 35mm ID port
 Swivels 360 degrees to prevent hose
- Swivels 360 degrees to prevent hose becoming twisted during use



7PC AIRLOCK DUST CONNECTION SYSTEM WOODWORKING KIT

DWV9220-XJ

- 7 piece AIRLOCK woodworking kit includes Main Connector, Stepped Adaptor, 35mm Adaptor (3), 35mm Angle Adaptor and Cable Hose Clip
- Universal pieces lock directly to DEWALT
 and other dust extraction units
- Swivels 360 degree to prevent hose becoming twisted during use
- Includes DEWALT items DWV9000, DWV9120, 3 x DWV9130, DWV9150 and D279058CL-XJ



AIRLOCK DUST BAG FOR DCP580 PLANER

DWV9330-73

- Suitable for DEWALT DCP580 PlanerIncludes chip ejection spout, heavy duty
- dust bag, and bayonet fitment



INCLUDES

Aluminum Suction Pipes, Combination Nozzle with Interchangeable Inserts, Crevice Nozzle, Suction Brush, Elbow Pipe, AirLock Adaptor



DWV9510-XJ

- Connect TSTAK® and TOUGHSYSTEM® kit boxes to DWV902 and DWV905 dust extractors
- · Conveniently transport both tools and dust extractor in a single trip on the jobsite
- · Adaptor securely clips onto the DWV902M and DWV905 units
- Storage rack system screws onto the top of the dust extractor to allow for vertical stacking
 of storage boxes
- Made from strong, lightweight plastic for easy mobility and job site durability





GUARANTEED TOUGH.

www.DEWALT.com.au