



DECLARATION OF PERFORMANCE

No

1488-CPR-0458/Z (-0303/Z)_EN

EN

1. Unique identification code of the product-type: **FRAMID (KPR-FAST, KPS-FAST: 12 & 14)**
2. Intended use/es: **Plastic anchors for multiple use in concrete and masonry for non-structural applications.**
3. Manufacturer: **KLIMAS Sp. z o.o.
ul. Wincentego Witosa 135/137
Kuźnica Kiedrzyńska, 42-233 Mykanów, Poland**
4. Authorised representative: **not applicable**
5. System/s of AVCP: **System 2+**
6. European Assessment Document: **ETAG 020 (03-2012) used as EAD**
European Technical Assessment: **ETA-12/0272 (30.03.2017)**
Technical Assessment Body: **ITB - INSTYTUT TECHNIKI BUDOWLANEJ Warsaw**
Notified body/ies: **NB 1488 ITB Warsaw**

7. Declared performance/s:
Mechanical resistance and stability (BWR 1)

Essential Characteristics	Performance
Characteristic resistance for tension and shear loads	See Annex C1, C2, C3
Characteristic resistance for bending moment	See Annex C1
Displacements under shear and tension loads	See Annex C2, C4
Edge distances and spacings	See Annex B3, B4

Safety in case of fire (BWR 2)

Essential Characteristics	Performance
Reaction to fire	The metal part of anchor can be classified to class A1
Resistance to fire	See Annex C2

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Karl Evans
Vice President
Professional Power Tools EANZ

Idstein, 04.07.2018

Dr.-Ing. Philipp Mahrenholtz
Senior Engineering Manager



This DoP has been prepared in different languages. In case there is a dispute on the interpretation the English version shall always prevail.

DoP No. 1488-CPR-0458/Z (-0303/Z) (R2)